Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	202	queue with ((real and (non with real)) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:03
L2	6435	(separat$4 or devid$4 or classif$8) with ((data or cell or packet) with (qos or class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:05
L3	6710	(separat$4 or devid$4 or classif$8) with ((data or cell or packet) with (qos or class or $1br))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:05
L4	1618	fragment$6 with dynamic$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:06
L5	92	fragment$6 with dynamic$6 with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:07
L6	9	calculat$4 with (burst with (size and interval)) and rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:08
L7	3	5 and burst	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:08
L8	13	2 and 3 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:11
L9	0	5 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:08

L10	1	6 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:09
L11	15	3 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:12
L12	2	3 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 08:34
L13	2	("5812545").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:02
L14	2	("6633543").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:02
L15	414	multiplex$4 with (dsl with (transceiv$4 or (transmit$4 and receiv$4) or modem))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:21
L16	8	("t1" with "ds1") and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:21
L17	0	("t1" with "ds1 or ds?") and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:22
L18	9	("t1" with ("ds1" or ds?1)) and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:52
L19	4462	transceiv$4 with multiplex$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:51

L20	0	t1/d1 with 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:52
L21	0	("t1" with ("ds1" or ds?1)) with 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:52
L22	70	dsl with 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:52
L23	42	22 and @ad<="20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 09:53